



## Grip Tight Breaker Lockout CBL31



### DESCRIPTION:

**Part No.: CBL31**  
**Grip Tight Breaker Lockout**

- a) Made from rugged ABS.
- b) Fits wide or tall breaker toggles typically found on hi-voltage/hi-amperage breakers.
- c) Adjust to breaker with simple thumb turn and then close clamping handle and lock cover to prevent clamp from being loosened.
- d) Accepts lock shackles up to 9/32" (7mm) in diameter.

### SPECIFICATION:

Part No.	DESCRIPTION
CBL31	Grip Tight Circuit Breaker Lockout

ORIGIN: CHINA



## Grip Tight Breaker Lockout CBL32



### DESCRIPTION:

**Part No.: CBL32**

**Grip Tight Breaker Lockout**

- a) Made from rugged ABS.
- b) Fits standard height and tie-bar toggles typically found on 120/240V circuit breakers.
- c) Adjust to breaker with simple thumb turn and then close clamping handle and lock cover to prevent clamp from being loosened.
- d) Accepts lock shackles up to 9/32" (7mm) in diameter.

### SPECIFICATION:

Part No.	DESCRIPTION
CBL32	Grip Tight Circuit Breaker Lockout

ORIGIN: CHINA



## Clamp On Breaker Lockout CBL11, CBL12 & CBL13



### DESCRIPTION:

**Part No.: CBL11, CBL12 & CBL13**  
**Clamp-On Breaker Lockout**

- a) Made of rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard to lock longer sliding switches and switches with large angular rotation.
- c) Operating without any TOOL !
- d) Accepts lock shackles up to 9/32" (7mm) in diameter.

### SPECIFICATION:

Part No.	DESCRIPTION
CBL11	For 120-277V breaker lockouts, handle width $\leq 18\text{mm}$ , comes with a cleat
CBL12	For 480-600V breaker lockouts, handle width $\leq 42\text{mm}$ , comes with a cleat
CBL13	For Large 480-600V breaker lockouts, handle width $\leq 72\text{mm}$

ORIGIN: CHINA



## Clamp On Breaker Lockout CBL11, CBL12 & CBL13



### DESCRIPTION:

**Part No.: CBL11, CBL12 & CBL13**  
**Clamp-On Breaker Lockout**

- a) Made of rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard to lock longer sliding switches and switches with large angular rotation.
- c) Operating without any TOOL !
- d) Accepts lock shackles up to 9/32" (7mm) in diameter.

### SPECIFICATION:

Part No.	DESCRIPTION
CBL11	For 120-277V breaker lockouts, handle width $\leq 18\text{mm}$ , comes with a cleat
CBL12	For 480-600V breaker lockouts, handle width $\leq 42\text{mm}$ , comes with a cleat
CBL13	For Large 480-600V breaker lockouts, handle width $\leq 72\text{mm}$

ORIGIN: CHINA



## Moulded Circuit Breaker Lockout CBL01-2



### DESCRIPTION:

**Part No.: CBL01**

**Moulded Circuit Breaker Lockout**

- a) Made from nylon.
- b) Fits on breaker toggles and can be tightened without TOOL.
- c) Lock out 1-4 pole circuit breakers
- d) Can take a padlock with shackle diameter up to 8mm

### SPECIFICATION:

Part No.	DESCRIPTION
CBL01-2	Moulded case circuit breaker lockout

ORIGIN: CHINA



## Miniature Circuit Breaker lockout PIS, POW & POS



### DESCRIPTION:

**Part No.: PIS, POS, POW**  
**Miniature Circuit Breaker Lockout**

- a) Made of Nylon.
- b) Applied for most existing types of European and Asian circuit breakers.
- c) Suggested to equipped together with a padlock for added safety
- d) Easily installed, no tools needed.
- e) Can take padlocks with a shackle diameter up to 9/32" (7mm) .
- f) Available for single and multi-pole breakers.

### SPECIFICATION:

Part No.	Description
POS	POS (Pin Out Standard), 2 holes required, fit up to 60Amp
PIS	PIS (Pin In Standard), 2 holes required, fit up to 60Amp
POW	POW (Pin Out Wide), 2 holes required, fit up to 60Amp
TBLO	TBLO (Tie Bar Lockout), no hole in breakers required

ORIGIN: CHINA



## Moulded Circuit Breaker Lockout CBL02-2



### DESCRIPTION:

**Part No.: CBL02**

**Moulded Case Circuit Breaker Lockout**

- a) Made from nylon.
- b) Fits on breaker toggles and can be tightened without TOOL.
- c) Lock out 1-4 pole circuit breakers
- d) Can take a padlock with shackle diameter up to 8mm

### SPECIFICATION:

Part No.	DESCRIPTION
CBL02	Lock out most moulded case circuit breakers

ORIGIN: CHINA



## Clamp On Breaker Lockout CBL11, CBL12 & CBL13



### DESCRIPTION:

**Part No.: CBL11, CBL12 & CBL13**  
**Clamp-On Breaker Lockout**

- a) Made of rugged polypropylene and impact modified nylon.
- b) Can be used with lockout cleats in the bottom for hard to lock longer sliding switches and switches with large angular rotation.
- c) Operating without any TOOL !
- d) Accepts lock shackles up to 9/32" (7mm) in diameter.

### SPECIFICATION:

Part No.	DESCRIPTION
CBL11	For 120-277V breaker lockouts, handle width $\leq 18\text{mm}$ , comes with a cleat
CBL12	For 480-600V breaker lockouts, handle width $\leq 42\text{mm}$ , comes with a cleat
CBL13	For Large 480-600V breaker lockouts, handle width $\leq 72\text{mm}$

ORIGIN: CHINA





## Miniature Circuit Breaker lockout PIS, POW & POS



### DESCRIPTION:

**Part No.: PIS, POS, POW**  
**Miniature Circuit Breaker Lockout**

- a) Made of Nylon.
- b) Applied for most existing types of European and Asian circuit breakers.
- c) Suggested to equipped together with a padlock for added safety
- d) Easily installed, no tools needed.
- e) Can take padlocks with a shackle diameter up to 9/32" (7mm) .
- f) Available for single and multi-pole breakers.

### SPECIFICATION:

Part No.	Description
POS	POS (Pin Out Standard), 2 holes required, fit up to 60Amp
PIS	PIS (Pin In Standard), 2 holes required, fit up to 60Amp
POW	POW (Pin Out Wide), 2 holes required, fit up to 60Amp
TBLO	TBLO (Tie Bar Lockout), no hole in breakers required

ORIGIN: CHINA



## Miniature Circuit Breaker lockout PIS, POW & POS



### DESCRIPTION:

**Part No.: PIS, POS, POW**  
**Miniature Circuit Breaker Lockout**

- a) Made of Nylon.
- b) Applied for most existing types of European and Asian circuit breakers.
- c) Suggested to equipped together with a padlock for added safety
- d) Easily installed, no tools needed.
- e) Can take padlocks with a shackle diameter up to 9/32" (7mm) .
- f) Available for single and multi-pole breakers.

### SPECIFICATION:

Part No.	Description
POS	POS (Pin Out Standard), 2 holes required, fit up to 60Amp
PIS	PIS (Pin In Standard), 2 holes required, fit up to 60Amp
POW	POW (Pin Out Wide), 2 holes required, fit up to 60Amp
TBLO	TBLO (Tie Bar Lockout), no hole in breakers required

ORIGIN: CHINA