



Steel Lockout Hasp-SH01, SH02



Description

Part No.: SH01, SH02

PA Coated Steel Lockout Hasp

- a) Steel with red plastic or vinyl coated body, rust proof.
- b) Allow multiple padlocks to be used when isolating one energy source
- c) Lock holes: 3/8" (9.5mm) diameter
- d) Jaw size: 1" (25mm) & 1.5" (38mm)
- e) Plastic coated or vinyl coated available
- f) Colors can be custom made.

SPECIFICATION:

Part No.	Description
SH01	Jaw Size 1" (25mm) lockout hasp
SH02	Jaw Size 1.5" (38mm) lockout hasp

ITEM CODE: SH01, SH02

ORIGIN: CHINA



Steel Lockout Hasp-SH01, SH02



Description

Part No.: SH01, SH02

PA Coated Steel Lockout Hasp

- a) Steel with red plastic or vinyl coated body, rust proof.
- b) Allow multiple padlocks to be used when isolating one energy source
- c) Lock holes: 3/8" (9.5mm) diameter
- d) Jaw size: 1" (25mm) & 1.5" (38mm)
- e) Plastic coated or vinyl coated available
- f) Colors can be custom made.

SPECIFICATION:

Part No.	Description
SH01	Jaw Size 1" (25mm) lockout hasp
SH02	Jaw Size 1.5" (38mm) lockout hasp

ITEM CODE: SH01, SH02

ORIGIN: CHINA



Nylon Lockout Hasp NH01



Description

Part No.: NH01

Nylon Lockout Hasp

- a) Made from nylon.
- b) Allow multiple padlocks to be used when isolating one energy source
- b) Non-conductive body, apply to electric power isolation, high requirement of corrosive or explosion-proof places.
- c) Colors and labels can be customized.

SPECIFICATION:

Part No.	Description
NH01	Overall size: 43x173mm (7"H x 1 3/4"W)

ITEM CODE: NH01

ORIGIN: CHINA



Project Description

Double-end Aluminum Lockout Hasp

- a) Made from aluminum with surface treatment, spark proof.
- b) Allow multiple padlocks to be used when isolating one energy source.
- c) Lock holes: 7.5mm diameter
- d) Overall length: 150mm, with 25mm and 38mm jaws.

Part NO.	Description
DAH01	Head shackle size:38mm,tail shackle size:25mm,length:150mm.



Project Description

Double-end Steel Lockout Hasp

- a) Made from red sprayed steel.
- b) Lock holes: 11mm diameter
- c) Allow multiple padlocks to be used when isolating one energy source.
- d) Overall length: 136mm, with 22mm and 41mm jaws.



Description

Aluminum lockout hasps AH11

Part No.: AH11

PA Coated Aluminum Hasp

- a) Spark resistant aluminum with red nylon coated body.
- b) Allow multiple padlocks to be used when isolating one energy source
- c) Lock holes: 3/8" (9.5mm)diameter
- d) Jaw size: 1" (25mm) & 1.5" (38mm)

SPECIFICATION:

Part No.	Description
AH11	Jaw Size 1" (25mm)
AH12	Jaw Size 1.5" (38mm)



Nylon Lockout Hasp NH04, NH05



Description

Part No.: NH04, NH05

Nylon Lockout Hasp

- a) Made from Nylon.
- a) Allow multiple padlocks to be used when isolating one energy source
- b) Non-conductive body, apply to electric power isolation, high requirement of corrosive or explosion-proof places.
- c) 4 hole slider designer lockout hasp with 3 mm or 6 mm shackle diameter.
- d) Colors and labels can be customized.

Part No.	Description
NH04	Shackle diameter 3mm , overall size: 61x107mm
NH05	Shackle diameter 6mm , overall size: 61x108mm

ITEM CODE: NH04, NH05

ORIGIN: CHINA