



Ball valve lockout ABVL01, ABVL01M & ABVL02



DESCRIPTION:

Part No. : ABVL01, ABVL01M, ABVL02

Small Adjustable Ball valve lockout

- a) Made from durable ABS, highly resistant to cracking and abrasion, resistant to extreme weather temperature conditions.
- b) The two halves of the lockout encompass the ball valve handle to secure it from inadvertent activation of the valve.
- c) Can be equipped together with padlocks. Padlock locked shackle max diameter is 9mm.
- d) Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25", Suitable for pipes 1" to 5" in diameter, Suitable for pipes 2" to 8" in diameter.
- e) Other color can be custom made.

Specification:

Part No.	Description
ABVL01	Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25"
ABVL01M	Suitable for pipes 1" to 5" in diameter
ABVL02	Suitable for pipes 2" to 8" in diameter

ORIGIN: CHINA



Gate Valve Lockout SGVL01~SGVL05



DESCRIPTION:

Part No.: SGVL01/ SGVL02/ SGVL03/ SGVL04/ SGVL05

Standard gate valve lockout

- a) Made of durable ABS.
- b) Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.
- c) Resistant to cracking and abrasion can be used in extreme weather and temperature conditions.
- d) Can be locked with hasps and padlocks. The hole max up to
- e) Available in 6 sizes and red color, other colors can be customized. Oversized valve locks also available,

SPECIFICATION:

Part No.	Description
SGVL01	Suitable for valve handle 1" to 2 1/2"(25mm-64mm) in diameter
SGVL02	Suitable for valve handle 2 1/2" to 5"(64mm-127mm) in diameter
SGVL03	Suitable for valve handle 5" to 6 1/2"(127mm-165mm) in diameter
SGVL04	Suitable for valve handle 6 1/2" to 10"(165mm-254mm) in diameter
SGVL05	Suitable for valve handle 10" to 13"(254mm-330mm) in diameter
SGVL06	Suitable for valve handle 13" to 18"(330mm-450mm) in diameter

ORIGIN: CHINA



Gate Valve Lockout SGVL01~SGVL05



DESCRIPTION:

Part No.: SGVL01/ SGVL02/ SGVL03/ SGVL04/ SGVL05

Standard gate valve lockout

- a) Made of durable ABS.
- b) Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.
- c) Resistant to cracking and abrasion can be used in extreme weather and temperature conditions.
- d) Can be locked with hasps and padlocks. The hole max up to
- e) Available in 6 sizes and red color, other colors can be customized. Oversized valve locks also available,

SPECIFICATION:

Part No.	Description
SGVL01	Suitable for valve handle 1" to 2 1/2"(25mm-64mm) in diameter
SGVL02	Suitable for valve handle 2 1/2" to 5"(64mm-127mm) in diameter
SGVL03	Suitable for valve handle 5" to 6 1/2"(127mm-165mm) in diameter
SGVL04	Suitable for valve handle 6 1/2" to 10"(165mm-254mm) in diameter
SGVL05	Suitable for valve handle 10" to 13"(254mm-330mm) in diameter
SGVL06	Suitable for valve handle 13" to 18"(330mm-450mm) in diameter

ORIGIN: CHINA



Gate Valve Lockout SGVL01~SGVL05



DESCRIPTION:

Part No.: SGVL01/ SGVL02/ SGVL03/ SGVL04/ SGVL05

Standard gate valve lockout

- a) Made of durable ABS.
- b) Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.
- c) Resistant to cracking and abrasion can be used in extreme weather and temperature conditions.
- d) Can be locked with hasps and padlocks. The hole max up to
- e) Available in 6 sizes and red color, other colors can be customized. Oversized valve locks also available,

SPECIFICATION:

Part No.	Description
SGVL01	Suitable for valve handle 1" to 2 1/2"(25mm-64mm) in diameter
SGVL02	Suitable for valve handle 2 1/2" to 5"(64mm-127mm) in diameter
SGVL03	Suitable for valve handle 5" to 6 1/2"(127mm-165mm) in diameter
SGVL04	Suitable for valve handle 6 1/2" to 10"(165mm-254mm) in diameter
SGVL05	Suitable for valve handle 10" to 13"(254mm-330mm) in diameter
SGVL06	Suitable for valve handle 13" to 18"(330mm-450mm) in diameter

ORIGIN: CHINA



Ball valve lockout ABVL01, ABVL01M & ABVL02



DESCRIPTION:

Part No. : ABVL01, ABVL01M, ABVL02

Small Adjustable Ball valve lockout

- a) Made from durable ABS, highly resistant to cracking and abrasion, resistant to extreme weather temperature conditions.
- b) The two halves of the lockout encompass the ball valve handle to secure it from inadvertent activation of the valve.
- c) Can be equipped together with padlocks. Padlock locked shackle max diameter is 9mm.
- d) Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25", Suitable for pipes 1" to 5" in diameter, Suitable for pipes 2" to 8" in diameter.
- e) Other color can be custom made.

Specification:

Part No.	Description
ABVL01	Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25"
ABVL01M	Suitable for pipes 1" to 5" in diameter
ABVL02	Suitable for pipes 2" to 8" in diameter

ORIGIN: CHINA



Ball valve lockout ABVL01, ABVL01M & ABVL02



DESCRIPTION:

Part No. : ABVL01, ABVL01M, ABVL02

Small Adjustable Ball valve lockout

- a) Made from durable ABS, highly resistant to cracking and abrasion, resistant to extreme weather temperature conditions.
- b) The two halves of the lockout encompass the ball valve handle to secure it from inadvertent activation of the valve.
- c) Can be equipped together with padlocks. Padlock locked shackle max diameter is 9mm.
- d) Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25", Suitable for pipes 1" to 5" in diameter, Suitable for pipes 2" to 8" in diameter.
- e) Other color can be custom made.

Specification:

Part No.	Description
ABVL01	Suitable for pipes 1/2" to 2.5" in diameter, OPEN on pipes from 1/2" to 1.25"
ABVL01M	Suitable for pipes 1" to 5" in diameter
ABVL02	Suitable for pipes 2" to 8" in diameter

ORIGIN: CHINA



Gate Valve Lockout SGVL01~SGVL05



DESCRIPTION:

Part No.: SGVL01/ SGVL02/ SGVL03/ SGVL04/ SGVL05

Standard gate valve lockout

- a) Made of durable ABS.
- b) Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.
- c) Resistant to cracking and abrasion can be used in extreme weather and temperature conditions.
- d) Can be locked with hasps and padlocks. The hole max up to
- e) Available in 6 sizes and red color, other colors can be customized. Oversized valve locks also available,

SPECIFICATION:

Part No.	Description
SGVL01	Suitable for valve handle 1" to 2 1/2"(25mm-64mm) in diameter
SGVL02	Suitable for valve handle 2 1/2" to 5"(64mm-127mm) in diameter
SGVL03	Suitable for valve handle 5" to 6 1/2"(127mm-165mm) in diameter
SGVL04	Suitable for valve handle 6 1/2" to 10"(165mm-254mm) in diameter
SGVL05	Suitable for valve handle 10" to 13"(254mm-330mm) in diameter
SGVL06	Suitable for valve handle 13" to 18"(330mm-450mm) in diameter

ORIGIN: CHINA



Gate Valve Lockout SGVL01~SGVL05



DESCRIPTION:

Part No.: SGVL01/ SGVL02/ SGVL03/ SGVL04/ SGVL05

Standard gate valve lockout

- a) Made of durable ABS.
- b) Once locked, they rotate freely around the hand wheel and prevent the valve wheel from being turned.
- c) Resistant to cracking and abrasion can be used in extreme weather and temperature conditions.
- d) Can be locked with hasps and padlocks. The hole max up to
- e) Available in 6 sizes and red color, other colors can be customized. Oversized valve locks also available,

SPECIFICATION:

Part No.	Description
SGVL01	Suitable for valve handle 1" to 2 1/2"(25mm-64mm) in diameter
SGVL02	Suitable for valve handle 2 1/2" to 5"(64mm-127mm) in diameter
SGVL03	Suitable for valve handle 5" to 6 1/2"(127mm-165mm) in diameter
SGVL04	Suitable for valve handle 6 1/2" to 10"(165mm-254mm) in diameter
SGVL05	Suitable for valve handle 10" to 13"(254mm-330mm) in diameter
SGVL06	Suitable for valve handle 13" to 18"(330mm-450mm) in diameter

ORIGIN: CHINA



Large Universal Valve Lockout UVL01 – UVL05



DESCRIPTION:

Part No.: UVL01 – UVL05

Large Universal Valve Lockout with One Blocking Arm

- a) Made from industrial grade steel and nylon.
- b) This industrial valve lockout is a modular system which enables you to lock out valves of different types and sizes. Such as large levers of valves, T-handles and other hard-to-secure mechanical devices.
- c) No other device offers such flexibility and security.
- d) Max handle width 40mm (handle max thickness 28mm).

Specification:

Part No.	Description
UVL01	With 1 arm -For quarter-turn ball valves
UVL02	With 2 arm - For 3, 4 or 5-way valves, or to lock valves in the "on", "off", or "throttled" position.
UVL03	With coated cable - Using cable attachment for gate valves
UVL04	Base Clamp only - For butterfly valves
UVL05	With 1 arm & coated cable - Universal valve lockout for most valves

ORIGIN: CHINA